

**China Address:**

203, 2nd Floor, Building 6, Keju Tong, No.1  
Tongfu Road, Fuhai Street, Bao'an District,  
Shenzhen City, Guangdong Province,  
China. 518100

Http: [www.dentallabgs.com](http://www.dentallabgs.com)

E-mail: [info@deshengdentallab.com](mailto:info@deshengdentallab.com)



## FIXED PRODUCTS ORDER FORM

Case No.: \_\_\_\_\_

Patient Name: \_\_\_\_\_

Doctor Name: \_\_\_\_\_

Received Date: \_\_\_\_\_

Due Date: \_\_\_\_\_

### INSTRUCTIONS:

- |                                      |                                          |
|--------------------------------------|------------------------------------------|
| <input type="checkbox"/> Crown       | <input type="checkbox"/> Bridge          |
| <input type="checkbox"/> Veneer      | <input type="checkbox"/> Inlay/Onlay     |
| <input type="checkbox"/> Post & Core | <input type="checkbox"/> Maryland Bridge |

Tooth No.:

18 17 16 15 14 13 12 11 | 21 22 23 24 25 26 27 28

48 47 46 45 44 43 42 41 | 31 32 33 34 35 36 37 38

#### ① Porcelain Fused To:

- ☐ Non-Precious
- ☐ Semi-Precious
- ☐ White-Precious 40%
- ☐ Yellow-Precious 74%
- ☐ Captek

#### ⑤ Miscellaneous:

- ☐ Buccal Porcelain Butt Margin
- ☐ O 360° Porcelain Butt Margin
- ☐ O Metal Occlusion
- ☐ O Metal Island
- ☐ O Cantilever Bridge
- ☐ O Temporary Crown/Bridge
- ☐ O Diagnostic Wax Up

#### ② All Ceramic Restorations:

- ☐ E.Max-Layering
- ☐ Zirconia-Layering
- ☐ E.Max-Monolithic
- ☐ Zirconia-Monolithic
- ☐ Solidex (Composite)

#### ⑥ CAD-CAM Restorations:

- ☐ VITA Suprinity
- ☐ VITA Enamic
- ☐ E.MaxCAD
- ☐ CAD-CAM PFM
- ☐ Non-Precious
- ☐ Titanium

#### ③ Full Cast Restorations:

- ☐ Non-Precious
- ☐ Semi-Precious (Silver)
- ☐ 40% Gold (White)
- ☐ 20% Gold (Yellow)
- ☐ 52% Gold (Yellow)

#### ⑦ Attachment:

- ☐ ERA
- ☐ Mkl
- ☐ Key & Key Way
- ☐ Ball-type
- ☐ Locator
- ☐ Telescope Coping
- ☐ Telescope Crown

#### ④ Implant:

Implant Brand: \_\_\_\_\_

- ☐ Screw Retained ☐ Cement Retained
- ☐ Cast Abutment
- ☐ Cast Implant Bar
- ☐ Custom CAD/CAM Abutment
- ☐ Custom CAD/CAM Implant Bar
- ☐ OScrew Retained
- ☐ O Bar-clip Retained

#### Abutment Material:

- ☐ O Zirconia ☐ O Titanium
- ☐ O Non-Precious ☐ O Semi-Precious

⑧ Shade: \_\_\_\_\_

Stump Shade: \_\_\_\_\_

Photos E-mailed to:

[info@dentallabgs.com](mailto:info@dentallabgs.com)

- ☐ None
- ☐ Light
- ☐ Medium
- ☐ Strong



#### ⑨ DESIGN

##### Pontic Design



##### Occlusal Contact



##### Metal Design



##### Embrasure

- ☐ Close ☐ Moderate ☐ Open



##### Die Spacer

- ☐ X1 ☐ X2 ☐ X3



##### Interproximal Contact

- ☐ Light ☐ Medium ☐ Heavy



Note: ★ means DESHENG default if you don't select on the form.